

S16	1	proxy same ((publish) with source\$1) and @ad<="20011016"	USPAT	OR	OFF	2005/08/25 16:07
S17	2	proxy same ((publish) with data\$1) and @ad<="20011016"	USPAT	OR	OFF	2005/08/25 16:09
S18	14	search\$3 with ((time or date)near1 condition\$1 with data\$1) and @ad<="20011016"	USPAT	OR	OFF	2005/08/25 16:11
S19	0	proxy with ((time or date)near1 condition\$1 with data\$1) and @ad<="20011016"	USPAT	OR	OFF	2005/08/25 16:11
S20	1	proxy with ((time or date)near1 condition\$1 with data\$1) and @ad<="20011016"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 16:11
S21	1	("6029175").PN.	USPAT; USOCR	OR	OFF	2005/09/01 15:38
S22	1	("6,477,543").PN.	USPAT; USOCR	OR	OFF	2005/09/01 16:09
S23	15265	"709"/.cccls. and (((proxy or intermediar\$1)or server) with synchroni\$5 with convert\$4 or transform\$3 or forma\$5)and @ad<="20011016"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/01 16:11
S24	23	"709"/.cccls. and (((proxy or intermediar\$1)or server) with synchroni\$5 with (convert\$4 or transform\$3 or forma\$5))and @ad<="20011016"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/01 16:43
S25	33	"709"/.cccls. and (((proxy or intermediar\$1)or server) same synchroni\$5 with (convert\$4 or transform\$3 or forma\$5))and @ad<="20011016"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/01 16:43
S26	0	"709"/.cccls. and (((proxy or intermediar\$1)or server) same synchroni\$5 near2 (convert\$4 near2 format\$1))and @ad<="20011016"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/01 16:44
S27	0	"709"/.cccls. and (gateway) same (synchroni\$5 near2 (convert\$4 near2 format\$1))and @ad<="20011016"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/01 16:45

S28	1	"709"/.ccls. and (synchroni\$5 near2 (convert\$4 near2 format\$1))and @ad<="20011016"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/01 16:49
S29	1	"709"/.ccls. and (synchroni\$5 near4 (convert\$4 near2 format\$1))and @ad<="20011016"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/01 16:49
S30	5	"709"/.ccls. and (synchroni\$5 with(convert\$4 near2 format\$1))and @ad<="20011016"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 09:16
S31	520	"709"/.ccls. and (synchroni\$5 with(upda\$3\$4))and @ad<="20011016"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/01 18:28
S32	467	"709"/.ccls. and (synchroni\$5 with(upda\$3))and @ad<="20011016"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/01 18:28
S33	0	"709"/.ccls. and (proxy with synchroni\$5 with(upda\$3))and @ad<="20011016"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/01 18:28
S34	0	"709"/.ccls. and (intermediary with synchroni\$5 with(upda\$3))and @ad<="20011016"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/01 18:29
S35	1	"709"/.ccls. and (synchroni\$5 with(upda\$3) with interval near1 time)and @ad<="20011016"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/01 18:29

S36	1	"709"/.ccls. and (synchroni\$5 with(upda\$3) same interval near1 time)and @ad<="20011016"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/01 18:29
S37	10	"709"/.ccls. and (synchroni\$5 with(upda\$3) same interval)and @ad<="20011016"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/01 18:30
S38	1	("20020087651").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/02 08:37
S39	9148	updat\$3 with (delet\$3 or new)near1 (record\$1 or data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 08:39
S40	53	(synchron\$5 with updat\$3 with (delet\$3 or new)near1 (record\$1 or data)) and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 08:41
S41	3	"709"/.ccls. and (synchroni\$5 with(convert\$4 near2 format\$1))and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 09:20
S42	3	"709"/.ccls. and (synchroni\$5 with(convert\$4 near4 format\$1))and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 09:20
S43	4	"709"/.ccls. and (synchroni\$5 with(convert\$4 with format\$1))and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 09:30
S44	536	(synchroni\$5 with(convert\$4 with format\$1))and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 09:31

S45	97	(synchroni\$5 with(convert\$4 near1 format\$1))and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 09:31
S46	0	proxy with (synchroni\$5 with(convert\$4 near1 format\$1))and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 09:31
S47	0	gateway with (synchroni\$5 with(convert\$4 near1 format\$1))and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 09:31
S48	0	proxt same (synchroni\$5 with(convert\$4 near1 format\$1))and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 09:32
S49	0	proxy same (synchroni\$5 with(convert\$4 near1 format\$1))and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 09:32
S50	0	gateway same (synchroni\$5 with(convert\$4 near1 format\$1))and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 09:32
S51	7	switch same (synchroni\$5 with(convert\$4 near1 format\$1))and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 09:32
S52	4	switch with (synchroni\$5 with(convert\$4 near1 format\$1))and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 09:33

S53	0	router with (synchroni\$5 with(convert\$4 near1 format\$1))and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 09:33
S54	0	intermedia\$4 with (synchroni\$5 with(convert\$4 near1 format\$1))and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 09:33
S55	97	(synchroni\$5 with(convert\$4 near1 format\$1))and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 09:37
S56	7	controller\$ with(synchroni\$5 with(convert\$4 near1 format\$1))and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 09:35
S57	0	server\$1 with(synchroni\$5 with(convert\$4 near1 format\$1))and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 09:37
S58	0	server\$1 same (synchroni\$5 with(convert\$4 near1 format\$1))and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 09:37
S59	0	server same (synchroni\$5 with(convert\$4 near1 format\$1))and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 09:37
S60	36	server same (synchroni\$5 with(convert\$4 withformat\$1))and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 09:37

S61	3	server same (synchroni\$5 with(convert\$4 with format\$1))and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 09:38
S62	4	translator same (synchroni\$5 with(convert\$4 with format\$1))and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 09:40
S63	0	console with (synchroni\$5 with(convert\$4 with format\$1))and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 09:41
S64	97	(synchroni\$5 with(convert\$4 near1 format\$1))and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 10:10
S65	1	(synchroni\$5 with(convert\$4 near1 format\$1))and mobile\$1 and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 09:42
S66	8	(synchroni\$5 with(convert\$4 near1 protocol\$1))and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 10:11
S67	0	proxy with(synchroni\$5 with(convert\$4 near1 protocol\$1))and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 10:10
S68	0	proxy same(synchroni\$5 with(convert\$4 near1 protocol\$1))and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 10:10

S69	0	gateway with(synchroni\$5 with(convert\$4 near1 protocol\$1))and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 10:11
S70	0	gateway same(synchroni\$5 with(convert\$4 near1 protocol\$1))and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 10:11
S71	0	proxy same(synchroni\$5 with(convert\$4 near1 protocol\$1))and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 10:11
S72	0	(synchroni\$5 near1 server) with(convert\$4 near1 format\$4)and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 10:12
S73	1	(sync\$10 near1 server) with(convert\$4 near1 format\$4)and @ad<="20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 11:31
S74	1	("6243705").PN.	USPAT; USOCR	OR	OFF	2005/09/02 11:31